

Mai-Juin 2010 - n° 364

Sommaire

<u>SYSTEME NEUROMUSCULAIRE</u>	1
<u>RACHIS</u>	8
<u>ORTHOPEDIE</u>	9
<u>AMPUTATION APPAREILLAGE</u>	11
<u>APPAREIL CARDIO VASCULAIRE</u>	12
<u>POUMON</u>	13
<u>SANTE ET READAPTATION</u>	13

SEMOLOGIE ET SYNDROMES CENTRAUX

SYSTEME NEUROMUSCULAIRE

N° doc. : 145504
TABARY JC
La révolution des neurosciences
MOTRICITE CEREBR. , 2010, Vol. 31, n° 1, p. 32-38

MUSCLES

N° doc. : 145040
FEASSON L ; VERNEY J ; KADI F ; GAUTHERON V
Thérapie par l'exercice et myopathies
REV.NEUROL. (Paris) , 2010, Vol. 166, n° 3, p. 269-278

N° doc. : 145052
VUILLEROT C ; GIRARDOT F ; PAYAN C ; FERMANIAN J
Monitoring changes and predicting loss of ambulation in Duchenne muscular dystrophy with the motor function measure
DEV.MED.CHILD NEUROL. , 2010, Vol. 52, n° 1, p. 14-21

N° doc. : 145078
SALORT CAMPANA E ; POUGET J
Intolérance musculaire à l'effort
ENCYCL.MED.CHIR.NEUROL. , 2010, FASC. 17003 E10, 10 p

N° doc. : 145103
RAGOT MANDRY S ; RUMEAU F ; RUMILLY E ;
PAYSANT J
Appareillage, chirurgie des membres inférieurs et verticalisation dans les dystrophinopathies
in :Dystrophinopathies de l'enfant et de l'adulte / sous la dir.de PORTE M ; PATTE K ; PELISSIER J ; GAUTHERON V. -Issy les Moulineaux : elsevier masson, 2010, p. 51-60

N° doc. : 145539
AGNELLO S ; AGNELLO C
Intérêt de - l'air-stacking - et de la respiration glosso-pharyngée chez les enfants atteints de maladies neuromusculaires
KINESITHER.SCI. , 2010, n° 510, p. 5-9

SYSTEME NERVEUX PERIPHERIQUE

N° doc. : 144821
FERRANDEZ JC
Canal carpien - tour d'horizon
KINE ACTUALITE , 2010, n° 1188, p. 42-45

N° doc. : 145079
ATTAL N ; BOUHASSIRA D
Stratégies d'évaluation des douleurs neuropathiques
ENCYCL.MED.CHIR.NEUROL. , 2010, FASC. 17035 A68, 10 p

N° doc. : 145083
SAID G ; CHEMOUILLI P
Neuropathies périphériques au cours de l'infection par le virus de l'immunodéficience humaine
ENCYCL.MED.CHIR.NEUROL. , 2010, FASC. 17103 A10, 6 p

N° doc. : 145084
SAID G
Neuropathies des vascularites
ENCYCL.MED.CHIR.NEUROL. , 2010, FASC. 17108 A10, 5 p

N° doc. : 145470
SAID G
Complications neurologiques du diabète
ENCYCL.MED.CHIR.AKOS , 2010, FASC. 5-0945, 8 p

MOTRICITE

N° doc. : 144978
ELBASIOUNY SM ; MOROZ D ; BAKR MM
Management of spasticity after spinal cord injury : current techniques and future directions
NEUROREHABIL.NEURAL REPAIR , 2010, Vol. 24, n° 1, p. 23-33

N° doc. : 145277
PARK JW ; KIM YH ; JANG SH ; CHANG WH ; PARK CH
Dynamic changes in the cortico-subcortical network during early motor learning
NEUROREHABILITATION , 2010, Vol. 26, n° 2, p. 95-103

N° doc. : 145283
JANG SH ; HONG JH ; AHN SH ; AGLIOTI SM ; CHO YW
Motor function reorganization in a patient with a brainstem lesion : DTT, fMRI and TMS study
NEUROREHABILITATION , 2010, Vol. 26, n° 2, p. 167-171

N° doc. : 145284
AGLIOTI SM ; KWON YH ; JANG SH
Motor function reorganization lateral to congenital brain lesion : a functional MRI study
NEUROREHABILITATION , 2010, Vol. 26, n° 2, p. 173-176

N° doc. : 145391
SANDLUND M ; HOSHI K ; WATERWORTH EL
A conceptual framework for design of interactive computer play in rehabilitation of children with sensorimotor disorders
PHYS.THER.REV. , 2009, Vol. 14, n° 5, p. 348-354

N° doc. : 145392
LANGE B ; FLYNN S ; RIZZO A
Initial usability assessment of off-the-shelf video game consoles for clinical game-based motor rehabilitation
PHYS.THER.REV. , 2009, Vol. 14, n° 5, p. 355-363

N° doc. : 145547
BLETON JP
L'ataxie cérébelleuse (1)
KINESITHER.SCI. , 2010, n° 510, p. 51-52

CERVELET SYNDROME CEREBELLEUX

N° doc. : 144838
BEIS JM ; PELE G ; LE CHAPELAIN L ; THISSE MO ;
PAYSANT J
Réadaptation et cervelet chez l'adulte
2010, p. 101-104

N° doc. : 145387
WHITNEY SL ; SPARTO PJ ; ALAHMARI K ; REDFERN MS
The use of virtual reality for people with balance and vestibular disorders : the Pittsburgh experience
PHYS.THER.REV. , 2009, Vol. 14, n° 5, p. 299-306

NEUROPSYCHOLOGIE FONCTIONS COGNITIVES

N° doc. : 144929
FOYATIER MICHEL N ; PRICHARD D ; BOUTEILLE A
Le rôle du psychologue spécialisé en neuropsychologie dans la prise en charge des personnes victimes d'un traumatisme crânien grave
RESURGENCES , 2009, n° 40, p. 13-15

N° doc. : 145033
FISH J ; WILSON BA ; MANLY T
The assessment and rehabilitation of prospective memory problems in people with neurological disorders
NEUROPSYCHOL REHABIL , 2010, Vol. 20, n° 2, p. 161-179

N° doc. : 145034

TURTON AJ ; O'LEARY K ; GABB J ; WOODWARD R
A single blinded randomised controlled pilot trial of prism adaptation for improving self-care in stroke patients with neglect
NEUROPSYCHOL REHABIL , 2010, Vol. 20, n° 2, p. 180-196

N° doc. : 145035

SWEENEY S ; KERSEL DA ; MORRIS RG ; MANLY T
The sensitivity of a virtual reality task to planning and prospective memory impairments : group differences and the efficacy of periodic alerts on performance
NEUROPSYCHOL REHABIL , 2010, Vol. 20, n° 2, p. 239-263

N° doc. : 145183

KAWOHL W ; BUNSE S ; WILLMES K ; HOFFRUGGE A
Semantic event-related potential components reflect severity of comprehension deficits in aphasia
NEUROREHABIL.NEURAL REPAIR , 2010, Vol. 24, n° 3, p. 282-289

N° doc. : 145546

LETOMBE A ; DEHEUNYNCK I ; OLIVIER N
La course d'orientation comme moyen d'évaluation des fonctions cognitives chez des patients cérébro-lésés
KINESITHER.SCI , 2010, n° 510, p. 39-43

N° doc. : 145576

DAVID D ; MOREAUD O ; CHARNALLET A
Evaluation d'un cas d'aphasie progressive primaire fluente sans déficit sémantique global
REV.NEUROPSYCHOL. , 2010, Vol. 2, n° 1, p. 38-45

N° doc. : 145577

LAISNEY M ; DESGRANGES B ; EUSTACHE F ; GIFFARD B
L'altération du réseau lexico-sémantique dans la maladie d'Alzheimer et la démence sémantique à travers le prisme des effets d'amorçage sémantique
REV.NEUROPSYCHOL. , 2010, Vol. 2, n° 1, p. 46-54

N° doc. : 145578

LAMBERT J ; DESCAT C ; EUSTACHE F
Les troubles des processus centraux et périphériques de l'écriture dans la maladie d'Alzheimer
REV.NEUROPSYCHOL. , 2010, Vol. 2, n° 1, p. 70-79

N° doc. : 145601

MANDERS E ; DAMMEKENS E ; LEEMANS I ; MICHIELS K
Evaluation of quality of life in people with aphasia using a Dutch version of the SAQOL-39
DISABIL.REHABIL. , 2010, Vol. 32, n° 3, p. 173-182

DOULEUR

N° doc. : 145570

ATTAL N
Douleurs neuropathiques : avancées cliniques
PRAT.NEUROL. , 2010, Vol. 1, n° 2, p. 119-127

N° doc. : 145571

PEYRON R ; FAILLENOT I
Apport de l'imagerie fonctionnelle à la compréhension des mécanismes de la douleur
PRAT.NEUROL. , 2010, Vol. 1, n° 2, p. 128-134

N° doc. : 145613

WESTMAN A ; LINTON SJ ; OHRLVIK J ; WAHLEN P
Controlled 3-year follow-up of a multidisciplinary pain rehabilitation program in primary health care
DISABIL.REHABIL. , 2010, Vol. 32, n° 4, p. 307-316

MOELLE

N° doc. : 144977

LIMA C ; ESCADA P ; PRATAS VITAL J ; BRANCO C
Olfactory mucosal autografts and rehabilitation for chronic traumatic spinal cord injury
NEUROREHABIL.NEURAL REPAIR , 2010, Vol. 24, n° 1, p. 10-22

N° doc. : 145080

BARAT M ; GOOSSENS D ; PENCHET G ; DEHAUT P
Syndromes médullaires
ENCYCL.MED.CHIR.NEUROL. , 2010, FASC. 17042 A10, 13 p

N° doc. : 145279

GORGÉY AS ; POARCH H ; MILLER J ; CASTILLO T
Locomotor and resistance training restore walking in an elderly person with a chronic incomplete spinal cord injury
NEUROREHABILITATION , 2010, Vol. 26, n° 2, p. 127-133

N° doc. : 145481

CRAVEN BC ; MORRIS AR
Modified Ashworth scale reliability for measurement of lower extremity spasticity among patients with SCI
J.SPINAL CORD MED. , 2010, Vol. 48, n° 3, p. 207-213

N° doc. : 145482

SHIBUYA S ; KOMATSUBARA S ; OKA S ; KANDA Y
Differences between subtotal corpectomy and laminoplasty for cervical spondylotic myelopathy
J.SPINAL CORD MED. , 2010, Vol. 48, n° 3, p. 214-220

N° doc. : 145483

KIRCHBERGER I ; BIERING SORENSEN F ; CHARLIFUE S
Identification of the most common problems in functioning of individuals with spinal cord injury using the International Classification of Functioning, Disability and Health
J.SPINAL CORD MED. , 2010, Vol. 48, n° 3, p. 221-229

N° doc. : 145484

JENSEN MP ; WIDERSTROM NOGA E ; DREW GOUVIER RICHARDS JS
Reliability and validity of the International Spinal Cord Injury Basic Pain Data Set items as self-report measures
J.SPINAL CORD MED. , 2010, Vol. 48, n° 3, p. 230-238

N° doc. : 145485

KRAUSE JS ; REED KS ; MCARDLE JJ
Prediction of somatic and non-somatic depressive symptoms between inpatient rehabilitation and follow-up
J.SPINAL CORD MED. , 2010, Vol. 48, n° 3, p. 239-244

N° doc. : 145488

KALISVAART JF ; KATSUMI HK ; RONNINGEN LD
Bladder cancer in spinal cord injury patients
J.SPINAL CORD MED. , 2010, Vol. 48, n° 3, p. 257-261

N° doc. : 145489

SLAVIN MD ; KISALA PA ; JETTE AM ; TULSKY DS
Developing a contemporary functional outcome measure for spinal cord injury research
J.SPINAL CORD MED. , 2010, Vol. 48, n° 3, p. 262-267

N° doc. : 145490

NIGAM V ; HALIM TA ; CHHABRA HS
Fournier's gangrene in a female with spinal cord injury : a case report
J.SPINAL CORD MED. , 2010, Vol. 48, n° 3, p. 268-269

N° doc. : 145520

WEINER MF ; SILVER JR
Spinal institutions in post-Revolutionary France
J.SPINAL CORD MED. , 2010, Vol. 48, n° 4, p. 274-284

- N° doc. : 145521*
GIL AGUDO A ; DEL AMA ESPINOSA A ; PEREZ RIZO E
Shoulder joint kinetics during wheelchair propulsion on a treadmill at two different speeds in spinal cord injury patients
J.SPINAL CORD MED. , 2010, Vol. 48, n° 4, p. 290-296
- N° doc. : 145522*
KIRCHBERGER I ; CIEZA A ; BIERING SORENSEN F
ICF Core Sets for individuals with spinal cord injury in the early post-acute context
J.SPINAL CORD MED. , 2010, Vol. 48, n° 4, p. 297-304
- N° doc. : 145523*
CIEZA A ; KIRCHBERGER I ; BIERING SORENSEN F
ICF Core Sets for individuals with spinal cord injury in the long-term context
J.SPINAL CORD MED. , 2010, Vol. 48, n° 4, p. 305-312
- N° doc. : 145524*
LIU CW ; ATTAR KH ; GALL EP ; SHAH J ; CRAGGS M
The relationship between bladder management and health-related quality of life in patients with spinal cord injury in the UK
J.SPINAL CORD MED. , 2010, Vol. 48, n° 4, p. 319-324
- N° doc. : 145525*
KATSUMI HK ; KALISVAART JF ; RONNINGEN LD
Urethral versus suprapubic catheter : choosing the best bladder management for male spinal cord injury patients with indwelling catheters
J.SPINAL CORD MED. , 2010, Vol. 48, n° 4, p. 325-329
- N° doc. : 145526*
REENALDA J ; VAN GEFFEN P ; SNOEK G ; JANNINK M
Effects of dynamic sitting interventions on tissue oxygenation in individuals with spinal cord disorders
J.SPINAL CORD MED. , 2010, Vol. 48, n° 4, p. 336-341
- N° doc. : 145527*
PANNEK J ; GOCKING K ; BERSCH U
Sacral rhizotomy : a salvage procedure in a patient with autonomic dysreflexia
J.SPINAL CORD MED. , 2010, Vol. 48, n° 4, p. 347-348
- N° doc. : 145605*
NEUFELD S ; LYSACK C
The 'risk inventory for persons with spinal cord injury' : development and preliminary validation of a risk assessment tool for spinal cord injury
DISABIL.REHABIL. , 2010, Vol. 32, n° 3, p. 230-238
- N° doc. : 145620*
WEBB JR ; TOUSSAINT M ; KALPAKJIAN CZ ; TATE DG
Forgiveness and health-related outcomes among people with spinal cord injury
DISABIL.REHABIL. , 2010, Vol. 32, n° 5, p. 360-366
- N° doc. : 145627*
DEVLIEGER P ; BALCAZAR F
'Bringing them back on the right track' : perceptions of medical staff on the rehabilitation of individuals with violently acquired spinal cord injuries
DISABIL.REHABIL. , 2010, Vol. 32, n° 6, p. 444-451
- N° doc. : 145635*
JACKSON J ; CARLSON M ; RUBAYI S ; SCOTT MD
Qualitative study of principles pertaining to lifestyle and pressure ulcer risk in adults with spinal cord injury
DISABIL.REHABIL. , 2010, Vol. 32, n° 7, p. 567-578
- N° doc. : 145637*
DE GROOT S ; BEVERS G ; POST MW ; WOLDRING FA
Effect and process evaluation of implementing standardized tests to monitor patients in spinal cord injury rehabilitation
DISABIL.REHABIL. , 2010, Vol. 32, n° 7, p. 588-597
- N° doc. : 145651*
VOERMAN GE ; ERREN WOLTERS CV ; FLEUREN JF
Perceived spasticity in chronic spinal cord injured patients : associations with psychological factors
DISABIL.REHABIL. , 2010, Vol. 32, n° 9, p. 775-780
- N° doc. : 145294*
OTTOMANELLI L ; GOETZ AE ; MC GEOUGH C ; SURIS A
Methods of a multisite randomized clinical trial of supported employment among veterans with spinal cord injury
J.REHABIL.RES.DEV. , 2009, Vol. 46, n° 7, p. 919-930
- N° doc. : 145309*
KOBETIC R ; TO CS ; SCHNELLENBERGER JR ; AUDU ML
Development of hybrid orthosis for standing, walking, and stair climbing after spinal cord injury
J.REHABIL.RES.DEV. , 2009, Vol. 46, n° 3, p. 447-462
- N° doc. : 145509*
HIRSH AT ; KUPPER AE ; CARTER GT ; JENSEN MP
Psychosocial factors and adjustment to pain in individuals with postpolio syndrome
AM.J.PHYS.MED.REHABIL. , 2010, Vol. 89, n° 3, p. 213-224
- PARAPLEGIE -TETRAPLEGIE**
- N° doc. : 145459*
FATTAL C ; ROUAYS MABIT H ; VEROLLET C ; BENOIT P
Rééducation des lésions médullaires acquises de l'adulte : tétraplégies ASIA A
ENCYCL.MED.CHIR.KINESITHER. , 2010, FASC. 26460 A60, p. 1-16
- N° doc. : 145463*
DIONYSSIOTIS Y ; LYRITIS GP ; PAPAIOANNOU N
Influence of neurological level of injury in bones, muscles, and fat in paraplegia
J.REHABIL.RES.DEV. , 2009, Vol. 46, n° 8, p. 1037-1044
- N° doc. : 145480*
SEIDL RO ; NUSSER MULLER BUSCH R ; KURZWEIL M
Dysphagia in acute tetraplegics : a retrospective study
J.SPINAL CORD MED. , 2010, Vol. 48, n° 3, p. 197-201
- N° doc. : 145486*
LEMAY JF ; NADEAU S
Standing balance assessment in ASIA D paraplegic and tetraplegic participants. Concurrent validity of the Berg Balance Scale
J.SPINAL CORD MED. , 2010, Vol. 48, n° 3, p. 245-250
- N° doc. : 145617*
DE MEDEIROS RC ; JACCARD AP ; CLIQUET JR A
Sagittal spinal alignment in paraplegics: a new paradigm for the rehabilitation under neuromuscular electrical stimulation
J.SPINAL CORD MED. , 2010, Vol. 48, n° 3, p. 251-256
- N° doc. : 145615*
LEE ESTY M ; ZHU W ; HEDRICK B ; FERNHALL B
Determining metabolic equivalent values of physical activities for persons with paraplegia
DISABIL.REHABIL. , 2010, Vol. 32, n° 4, p. 336-343
- SEP**
- N° doc. : 145281*
SHATIL E ; METZER J ; HORVITZ O ; MILLER LE
Home-based personalized cognitive training in MS patients: a study of adherence and cognitive performance
NEUROREHABILITATION , 2010, Vol. 26, n° 2, p. 143-153
- N° doc. : 145567*
EDAN G
Les critères diagnostiques de sclérose en plaques
PRAT.NEUROL. , 2010, Vol. 1, n° 2, p. 83-85

N° doc. : 145568

CLANET M

Comment je traite une sclérose en plaques ?
PRAT.NEUROL. , 2010, Vol. 1, n° 2, p. 87-92

N° doc. : 145569

VUKUSIC S ; CONFAVREUX C

Histoire naturelle de la sclérose en plaques : que dire à un nouveau malade ?
PRAT.NEUROL. , 2010, Vol. 1, n° 2, p. 93-96

N° doc. : 145602

PRODINGER B ; WEISE AP ; SHAW A ; STAMM TA

A Delphi study on environmental factors that impact work and social life participation of individuals with multiple sclerosis in Austria and Switzerland
DISABIL.REHABIL. , 2010, Vol. 32, n° 3, p. 183-195

N° doc. : 145630

BUCHANAN R ; RADIN EL ; CHAKRAVORTY BJ ; TYRY T
Perceptions of informal care givers : health and support services provided to people with multiple sclerosis
DISABIL.REHABIL. , 2010, Vol. 32, n° 6, p. 500-510

N° doc. : 145641

PAYNE B ; MCPHERSON KM

Becoming mothers. Multiple sclerosis and motherhood : a qualitative study
DISABIL.REHABIL. , 2010, Vol. 32, n° 8, p. 629-638

N° doc. : 145713

TWOMEY F ; ROBINSON K

Pilot study of participating in a fatigue management programme for clients with multiple sclerosis
DISABIL.REHABIL. , 2010, Vol. 32, n° 10, p. 791-800

ENCEPHALE

N° doc. : 145088

PES JP

L'âme forme du corps et est-ce que l'esprit est la cause de la plasticité cérébrale ?
EVOL.PSYCHOM. , 2010, n° 82, p. 172-179

N° doc. : 145124

SHPRECHER D ; MEHTA A

The syndrome of delayed post-hypoxic leukoencephalopathy
NEUROREHABILITATION , 2010, Vol. 26, n° 1, p. 65-72

N° doc. : 145190

WILLIAMS JA ; PASCUAL LEONE A ; FREGNI F

Interhemispheric modulation induced by cortical stimulation and motor training
PHYS.THER. , 2010, Vol. 90, n° 3, p. 398-410

N° doc. : 145508

FU JB ; PARSONS HA ; SHIN KY ; GUO Y ; KONZEN BS

Comparison of functional outcomes in low- and high-grade astrocytoma rehabilitation inpatients
AM.J.PHYS.MED.REHABIL. , 2010, Vol. 89, n° 3, p. 205-212

TROUBLES CIRCULATOIRES CEREBRAUX

N° doc. : 145280

CAMPOS TF ; BARROSO MT ; DE LARA MENEZES AA
Encoding, storage and retrieval processes of the memory and the implications for motor practice in stroke patients
NEUROREHABILITATION , 2010, Vol. 26, n° 2, p. 135-142

N° doc. : 145718

TYEDIN K ; CUMMING TB ; BERNHARDT J

Quality of life : An important outcome measure in a trial of very early mobilisation after stroke
DISABIL.REHABIL. , 2010, Vol. 32, n° 11, p. 875-884

N° doc. : 144979

SUN SF ; HSU CW ; SUN HP ; HWANG CW ; YANG CL
Combined botulinum toxin type A with modified constraint-induced movement therapy for chronic stroke patients with upper extremity spasticity
NEUROREHABIL.NEURAL REPAIR , 2010, Vol. 24, n° 1, p. 10-22

N° doc. : 144980

LIN KC ; CHEN Y ; CHEN CL ; WU CY ; CHANG YF

The effects of bilateral arm training on motor control and functional performance in chronic stroke
NEUROREHABIL.NEURAL REPAIR , 2010, Vol. 24, n° 1, p. 42-51

N° doc. : 144981

BOSECKER C ; DIPIETRO L ; VOLPE B ; KREBS HI

Kinematic robot-based evaluation scales and clinical counterparts to measure upper limb motor performance in patients with chronic stroke
NEUROREHABIL.NEURAL REPAIR , 2010, Vol. 24, n° 1, p. 62-69

N° doc. : 144982

KOKOTILO KJ ; ENG JJ ; MCKEOWN MJ ; BOYD LA

Greater activation of secondary motor areas is related to less arm use after stroke
NEUROREHABIL.NEURAL REPAIR , 2010, Vol. 24, n° 1, p. 78-87

N° doc. : 145125

TSAI JC

Neurological and neurobehavioral sequelae of obstructive sleep apnea
NEUROREHABILITATION , 2010, Vol. 26, n° 1, p. 85-94

N° doc. : 145178

DOBKIN BH ; PLUMMER D'AMATO P ; ELASHOFF R

International randomized clinical trial, stroke inpatient rehabilitation with reinforcement of walking speed (SIRROWS), improves outcomes
NEUROREHABIL.NEURAL REPAIR , 2010, Vol. 24, n° 3, p. 235-242

N° doc. : 145179

JOHANNSEN F ; WING AM ; PELTON T ; KITAKA K

Seated bilateral leg exercise effects on hemiparetic lower extremity function in chronic stroke
NEUROREHABIL.NEURAL REPAIR , 2010, Vol. 24, n° 3, p. 243-253

N° doc. : 145180

PAOLONI M ; MANGONE M ; SCETTRI P

Segmental muscle vibration improves walking in chronic stroke patients with foot drop : a randomized controlled trial
NEUROREHABIL.NEURAL REPAIR , 2010, Vol. 24, n° 3, p. 254-262

N° doc. : 145181

CONFORTO AB ; FERREIRO KN ; TOMASI R

Effects of somatosensory stimulation on motor function after subacute stroke
NEUROREHABIL.NEURAL REPAIR , 2010, Vol. 24, n° 3, p. 263-272

N° doc. : 145282

JANG SH ; AHN SH ; LEE DAVIS J ; CHO YW ; AGLIOTI SM
Cortical reorganization of sensori-motor function in a patient with cortical infarct
NEUROREHABILITATION , 2010, Vol. 26, n° 2, p. 163-166

N° doc. : 145389

BROEREN J ; SUNNERHAGEN KS ; RYDMARK M

Haptic virtual rehabilitation in stroke : transferring research into clinical practice
PHYS.THER.REV. , 2009, Vol. 14, n° 5, p. 322-335

N° doc. : 145390

CROSBIE JH ; MCNEILL MDJ ; BURKE J ; McDONOUGH S
Utilising technology for rehabilitation of the upper limb following stroke : the Ulster experience
PHYS.THER.REV. , 2009, Vol. 14, n° 5, p. 336-347

- N° doc. : 145468
MAWET J ; CRASSARD I ; BOUSSER MG
Thromboses veineuses cérébrales
ENCYCL.MED.CHIR.AKOS , 2010, FASC. 5-0885, 10 p
- N° doc. : 145495
FRENCH B ; ANTERION THOMAS C ; LEATHLEY M
Does repetitive task training improve functional activity after stroke ? A Cochrane systematic review and meta-analysis
J.REHABIL.MED. , 2010, Vol. 42, n° 1, p. 9-14
- N° doc. : 145496
LEE SY ; LIM JY ; KANG EK ; HAN MK ; BAE HJ
Prediction of good functional recovery after stroke based on combined motor and somatosensory evoked potential findings
J.REHABIL.MED. , 2010, Vol. 42, n° 1, p. 16-20
- N° doc. : 145497
HUANG YC ; LIANG PJ ; PONG YP ; LEONG CP ; TSENG CH
Physical findings and sonography of hemiplegic shoulder in patients after acute stroke during rehabilitation
J.REHABIL.MED. , 2010, Vol. 42, n° 1, p. 21-26
- N° doc. : 145505
LIN KC ; CHUNG HY ; WU CY ; LIU HL ; HSIEH YW
Constraint-induced therapy versus control intervention in patients with stroke: a functional magnetic resonance imaging study
AM.J.PHYS.MED.REHABIL. , 2010, Vol. 89, n° 3, p. 177-185
- N° doc. : 145506
CHERN JS ; LO CY ; WU CY ; CHEN CL ; YANG S ; TANG FT
Dynamic postural control during trunk bending and reaching in healthy adults and stroke patients
AM.J.PHYS.MED.REHABIL. , 2010, Vol. 89, n° 3, p. 186-197
- N° doc. : 145507
DOBREZ DG ; HEINEMANN AW ; DEUTSCH A
Impact of Medicare's prospective payment system for inpatient rehabilitation facilities on stroke patient outcomes
AM.J.PHYS.MED.REHABIL. , 2010, Vol. 89, n° 3, p. 198-204
- N° doc. : 145536
LAM HS ; LAU FW ; CHAN GK ; SYKES K
The validity and reliability of a 6-Metre Timed Walk for the functional assessment of patients with stroke
PHYSIOTHER.THEORY PRACT. , 2010, Vol. 26, n° 4, 251-255
- N° doc. : 145606
CRAMP MC ; GREENWOOD RJ ; GILL M ; LEHMANN A
Effectiveness of a community-based low intensity exercise programme for ambulatory stroke survivors
DISABIL.REHABIL. , 2010, Vol. 32, n° 3, p. 239-247
- N° doc. : 145609
SALTER K ; ZETTLER L ; FOLEY N ; TEASELL R
Impact of caring for individuals with stroke on perceived physical health of informal caregivers
DISABIL.REHABIL. , 2010, Vol. 32, n° 4, p. 273-281
- N° doc. : 145632
MCEWEN C ; POLATAJKO HJ ; DAVIS JA ; HUIJBREGTS M
'There's a real plan here, and I am responsible for that plan' : participant experiences with a novel cognitive-based treatment approach for adults living with chronic stroke
DISABIL.REHABIL. , 2010, Vol. 32, n° 7, p. 540-550
- N° doc. : 145633
ALGUREN B ; LUNDGREN NILSSON A ; SUNNERHAGEN KS
Functioning of stroke survivors. A validation of the ICF core set for stroke in Sweden
DISABIL.REHABIL. , 2010, Vol. 32, n° 7, p. 551-559
- N° doc. : 145643
MENON DK ; BITENSKY NK ; STRAUS S
Best practise use in stroke rehabilitation : from trials and tribulations to solutions !
DISABIL.REHABIL. , 2010, Vol. 32, n° 8, p. 646-649
- N° doc. : 145655
COMBS AJ ; KELLY SP ; BARTON R ; IVASKA M
Effects of an intensive, task-specific rehabilitation program for individuals with chronic stroke
DISABIL.REHABIL. , 2010, Vol. 32, n° 8, p. 669-678
- N° doc. : 145712
SOO LEE M ; SHIN B ; KIM J ; HAN CH ; ERNST E
Moxibustion for stroke rehabilitation
STROKE , 2010, Vol. 41, n° 4, p. 817-820
- N° doc. : 145714
KAKUDA W ; ABO M ; KAITO N ; ISHIKAWA H
Six-day course of repetitive transcranial magnetic stimulation plus occupational therapy for post-stroke patients with upper limb hemiparesis
DISABIL.REHABIL. , 2010, Vol. 32, n° 10, p. 801-807
- TRAUMATISME CRANIEN**
- N° doc. : 144930
DESPIERRES MF ; AVEQUE C ; COURTOIS X
Les séquelles des personnes victimes d'un traumatisme crânien léger
RESURGENCES , 2009, n° 40, p. 16-18
- N° doc. : 145122
LU EMERSON C ; KHOT S
Neurological sequelae of hypoxic-ischemic brain injury
NEUROREHABILITATION , 2010, Vol. 26, n° 1, p. 35-45
- N° doc. : 145123
ANDERSON ; ARCINIEGAS DB
Cognitive sequelae of hypoxic-ischemic brain injury
NEUROREHABILITATION , 2010, Vol. 26, n° 1, p. 47-63
- N° doc. : 145274
SEEL RT ; MACCIOCCHI S ; KREUTZER JS
Clinical considerations for the diagnosis of major depression after moderate to severe TBI
J.HEAD TRAUMA REHABIL. , 2010, Vol. 25, n° 2, p. 99-112
- N° doc. : 145275
KREUTZER JS ; MARWITZ JH ; GODWIN EE
Practical approaches to effective family intervention after brain injury
J.HEAD TRAUMA REHABIL. , 2010, Vol. 25, n° 2, p. 113-120
- N° doc. : 145276
SANDER AM ; CLARK A ; PAPPADIS MR
What is community integration anyway ? : defining meaning following traumatic brain injury
J.HEAD TRAUMA REHABIL. , 2010, Vol. 25, n° 2, p. 121-127
- N° doc. : 145291
CICERONE KD ; AZULAY J ; Trott AW
Methodological quality of research on cognitive rehabilitation after traumatic brain injury
ARCH.PHYS.MED.REHABIL. , 2009, Vol. 90, SUPPL. 1, S52-S59
- N° doc. : 145461
HOMAIFAR BY ; HARWOOD JE ; WAGNER TH
Description of outpatient utilization and costs in group of veterans with traumatic brain injury
J.REHABIL.RES.DEV. , 2009, Vol. 46, n° 8, p. 1003-1010

N° doc. : 145498
CHUA KS ; EARNEST MP ; CHIONG Y ; KONG KH
Characteristics and correlates of rehabilitation charges during inpatient traumatic brain injury rehabilitation in Singapore
J.REHABIL.MED. , 2010, Vol. 42, n° 1, p. 27-34

N° doc. : 145580
DUQUETTE J ; MCKINLEY P ; MAZER B ; GELINAS I
Impact of partial administration of the Cognitive Behavioral Driver's Inventory on concurrent validity for people with brain injury
AM.J.OCCUP.THER. , 2010, Vol. 64, n° 2, p. 279-287

N° doc. : 145644
WRONA RM
Disability and return to work outcomes after traumatic brain injury : results from the Washington State Industrial Insurance Fund
DISABIL.REHABIL. , 2010, Vol. 32, n° 8, p. 650-655

PARKINSON

N° doc. : 145722
KELLY VE ; ISRAEL SM ; SAMII A ; SLIMP JC ; GOODKIN R
Assessing the effects of subthalamic nucleus stimulation on gait and mobility in people with Parkinson disease
DISABIL.REHABIL. , 2010, Vol. 32, n° 11, p. 929-936

N° doc. : 145721
QUINN CM ; BUSSE M ; KHALIL H ; RICHARDSON S
Client and therapist views on exercise programmes for early-mid stage Parkinson's disease and Huntington's disease
DISABIL.REHABIL. , 2010, Vol. 32, n° 11, p. 917-928

N° doc. : 144983
HACKNEY ME ; EARHART GM
The effects of a secondary task on forward and backward walking in Parkinson's disease
NEUROREHAB.NEURAL REPAIR , 2010, Vol. 24, n° 1, p. 97-106

N° doc. : 145081
VIALLET F ; GAYRAUD D ; BONNEFOI B ; RENIE L
Maladie de Parkinson idiopathique : aspects cliniques, diagnostiques et thérapeutiques
ENCYCL.MED.CHIR.NEUROL. , 2010, FASC. 17060 A50, 30 p

N° doc. : 145315
MEEK C ; MORGAN E ; WALKER MF ; FURMSTON A
Occupational therapy to optimise independance in Parkinson's disease : the designing and recording of a randomised controlled trial intervention
BR.J.OCCUP.THER. , 2010, Vol. 73, n° 4, p. 178-185

N° doc. : 145572
CANTIN S ; KRAINIK A ; FRAIX V ; JIANG Z ; FLEURY V
IRM morphologique dans les syndromes parkinsoniens
PRAT.NEUROL. , 2010, Vol. 1, n° 2, p. 135-144

N° doc. : 145622
CUBO E ; MARTINEZ MARTIN P ; GONZALEZ FERNANDEZ M ;
What contributes to driving ability in Parkinson's disease
DISABIL.REHABIL. , 2010, Vol. 32, n° 5, p. 374-378

N° doc. : 145646
HACKNEY ME ; EARHART GM
Effects of dance on balance and gait in severe Parkinson disease : a case study
DISABIL.REHABIL. , 2010, Vol. 32, n° 8, p. 679-684

AUTRES PATHOLOGIES

N° doc. : 145467
PAULIN M ; PASQUIER F
Syndrome démentiel : diagnostic et prise en charge
ENCYCL.MED.CHIR.AKOS , 2010, FASC. 5-0745, 10 p

N° doc. : 145469
DUTERTRE G ; HOANG XUAN K ; RICARD D
Tumeurs intracraniennes de l'adulte
ENCYCL.MED.CHIR.AKOS , 2010, FASC. 5-1001, 11 p

N° doc. : 145471
DUPONT S
Traitements de l'épilepsie de l'adulte
ENCYCL.MED.CHIR.AKOS , 2010, FASC. 5-1120, 10 p

N° doc. : 144896
TOUCHENE S
Prendre soin des personnes souffrant de la maladie d'Alzheimer
AIDE SOIGNANTE , 2010, n° 116, p. 11-23

N° doc. : 145535
CEDERVALL Y ; ABERG AC
Physical activity and implications on well-being in mild Alzheimer's disease : A qualitative case study on two men with dementia and their spouses
PHYSIOTHER.THEORY PRACT. , 2010, Vol. 26, n° 4, 226-239

TROUBLES SPHINCTERIENS ET GENITAUX

N° doc. : 145013
AGNELLO C
La rééducation de la dyssynergie
KINESITHER.SCI. , 2010, n° 509, p. 27-29

N° doc. : 145709
DENTZ JP
Cas clinique en rééducation périnéale post-partum
KINE ACTUALITE , 2010, n° 1197, p. 50-52

N° doc. : 145711
VALANCOGNE G
Compte rendu du congrès de rééducation en pelvi-périnéologie
KINE ACTUALITE , 2010, n° 1196, p. 18-21

NEUROLOGIE INFANTILE

N° doc. : 144814
WILLIAMS J ; LEE KJ ; ANDERSON PJ
Prevalence of motor-skill impairment in preterm children who do not develop cerebral palsy : a systematic review
DEV.MED.CHILD NEUROL. , 2010, Vol. 52, n° 3, p. 232-237

N° doc. : 144815
CHANG SH ; YU NY
Characterization of motor control in handwriting difficulties in children with or without developmental coordination disorder
DEV.MED.CHILD NEUROL. , 2010, Vol. 52, n° 3, p. 244-250

N° doc. : 144816
FOWLER EG ; STAUDT LA ; GREENBERG M
Lower extremity selective voluntary motor control in patients with spastic cerebral palsy : increased distal motor impairment
DEV.MED.CHILD NEUROL. , 2010, Vol. 52, n° 3, p. 264-269

N° doc. : 144926
VILLE D ; DES PORTES V
Déficience intellectuelle : enjeu, difficultés et limites d'un bilan étiologique, mdoalité de la démarche diagnostique en 2009
ANAE , 2010, n° 106, p. 15-20

- N° doc. : 144927
CLEMENT A
Regard du pédiopsychiatre sur l'enfant déficient intellectuel : de la réalité neurobiologique à la dimension psychique
ANAE , 2010, n° 106, p. 21-27
- N° doc. : 145720
LOWING K ; BEXELIUS A ; CARLBERG EB
Goal-directed functional therapy : A longitudinal study on gross motor function in children with cerebral palsy
DISABIL.REHABIL. , 2010, Vol. 32, n° 11, p. 908-916
- N° doc. : 144939
AVRIL A
L'accompagnement des jeunes enfants atteints d'amyotrophie spinale 1 et 1 bis
ERGOTHERAPIES , 2010, n° 37, p. 5-15
- N° doc. : 144943
BERNATCHEZ MC ; TETREAULT S ; NADEAU L
Déficience motrice cérébrale et performance occupationnelle : application exploratoire d'une approche cognitive
ERGOTHERAPIES , 2010, n° 37, p. 53-59
- N° doc. : 145049
GILMORE R ; SAKZEWSKI L ; BOYD R
Upper limb activity measures for 5- to 16-year old children with congenital hemiplegia
DEV.MED.CHILD NEUROL. , 2010, Vol. 52, n° 1, p. 14-21
- N° doc. : 145050
LIRA PIC ; EICKMANN SH ; LIMA MC ; AMORIM RJ
Early head growth : relation with IQ at 8 years and determinants in term infants of low and appropriate birthweight
DEV.MED.CHILD NEUROL. , 2010, Vol. 52, n° 1, p. 40-46
- N° doc. : 145051
VAN SCHIE PEM ; BECHER JG ; DALLMEIJER AJ
Motor testing at 1 year improves the prediction of motor and mental outcome at 2 years after perinatal hypoxic ischaemic encephalopathy
DEV.MED.CHILD NEUROL. , 2010, Vol. 52, n° 1, p. 54-59
- N° doc. : 145053
PALISANO RJ ; HANNA SE ; ROSENBAUM P ; TIEMAN B
Probability of walking, wheeled mobility and assisted mobility in children and adolescents with cerebral palsy
DEV.MED.CHILD NEUROL. , 2010, Vol. 52, n° 1, p. 66-71
- N° doc. : 145054
OLE SCH CA ; GREAVES S ; IMMS C ; REID SM
Repeat botulinum toxin A injections in the upper limb of children with hemiplegia - a randomized controlled trial
DEV.MED.CHILD NEUROL. , 2010, Vol. 52, n° 1, p. 79-86
- N° doc. : 145121
ARMSTRONG WELLS J ; BERNARD TJ ; BOADA R
Neurocognitive outcomes following neonatal encephalopathy
NEUROREHABILITATION , 2010, Vol. 26, n° 1, p. 27-33
- N° doc. : 145252
NAIDU K ; SMITH K ; SHEEDY M ; ADAIR B ; YU X
Systemic adverse events following botulinum toxin A therapy in children with cerebral palsy
DEV.MED.CHILD NEUROL. , 2010, Vol. 52, n° 2, p. 139-144
- N° doc. : 145253
YAP R ; MAJNEMER A ; BENAROCH T ; CANTIN MA
Determinants of responsiveness to botulinum toxin, casting, and bracing in the treatment of spastic equinus in children with cerebral palsy
DEV.MED.CHILD NEUROL. , 2010, Vol. 52, n° 2, p. 186-193
- N° doc. : 145254
PIEK JP ; BARRETT NC ; DYCK MJ ; REIERSEN AM
Can the Child Behavior Checklist be used to screen for motor impairment ?
DEV.MED.CHILD NEUROL. , 2010, Vol. 52, n° 2, p. 200-204
- N° doc. : 145255
MAJNEMER A ; SHIKAKO THOMAS K ; CHOKRON N
Leisure activity preferences for 6- to 12-year-old children with cerebral palsy
DEV.MED.CHILD NEUROL. , 2010, Vol. 52, n° 2, p. 167-173
- N° doc. : 145256
HOLMSTROM C ; VOLLMER B ; TEDROFF K ; ISLAM M
Hand function in relation to brain lesions and corticomotor-projection pattern in children with unilateral cerebral palsy
DEV.MED.CHILD NEUROL. , 2010, Vol. 52, n° 2, p. 145-152
- N° doc. : 145257
HARVEY ; BAKER R ; MORRIS ME ; HOUGH J
Does parent report measure performance ? A study of the construct validity of the Functional Mobility Scale
DEV.MED.CHILD NEUROL. , 2010, Vol. 52, n° 2, p. 181-185
- N° doc. : 145259
DAVIS E ; SHELLY A ; WATERS E ; DAVERN M
Measuring the quality of life of children with cerebral palsy: comparing the conceptual differences and psychometric properties of three instruments
DEV.MED.CHILD NEUROL. , 2010, Vol. 52, n° 2, p. 174-180
- N° doc. : 145260
IMMS C ; CARLIN J ; ELIASSON AC
Stability of caregiver-reported manual ability and gross motor function classifications of cerebral palsy
DEV.MED.CHILD NEUROL. , 2010, Vol. 52, n° 2, p. 153-159
- N° doc. : 145261
VAN RAVESTEYN NT ; DALLMEIJER AJ ; SCHOLTES VA
Measuring mobility limitations in children with cerebral palsy : interrater and intrarater reliability of a mobility questionnaire (MobQues)
DEV.MED.CHILD NEUROL. , 2010, Vol. 52, n° 2, p. 194-199
- N° doc. : 145278
ALABDULWAHAB SS ; AL GABBANI M
Transcutaneous electrical nerve stimulation of hip adductors improves gait parameters of children with spastic diplegic cerebral palsy
NEUROREHABILITATION , 2010, Vol. 26, n° 2, p. 115-122
- N° doc. : 145326
KWON JY ; HWANG JH ; KIM JS
Botulinum toxin a injection into calf muscles for treatment of spastic equinus in cerebral palsy : a controlled trial comparing sonography and electric stimulation-guided injection techniques : a preliminary report
AM.J.PHYS.MED.REHABIL. , 2010, Vol. 89, n° 4, p. 279-286
- N° doc. : 145473
SHURTLEFF TL ; ENGSBERG JR
Changes in trunk and head stability in children with cerebral palsy after hippotherapy : a pilot study
PHYS.OCCUP.THER.PEDIATR. , 2010, Vol. 30, n° 2, p. 150-163
- N° doc. : 145500
BARF HA ; POST MW ; VERHOEF M ; GOOSKENS RH
Is cognitive functioning associated with subjective quality of life in young adults with spina bifida and hydrocephalus ?
J.REHABIL.MED. , 2010, Vol. 42, n° 1, p. 56-59
- N° doc. : 145503
LEROY MALHERBE V
Orientation et organisation de la scolarité du jeune IMC
MOTRICITE CEREBR. , 2010, Vol. 31, n° 1, p. 21-28

N° doc. : 145607
WIART G ; RAY C ; DARAH J ; MAGILL EVANS J
Parents' perspectives on occupational therapy and physical therapy goals for children with cerebral palsy
DISABIL.REHABIL. , 2010, Vol. 32, n° 3, p. 248-258

N° doc. : 145616
JANSSEN CG ; VOORMAN JM ; BECHER JG
Course of health-related quality of life in 9-16-year-old children with cerebral palsy : associations with gross motor abilities and mental health
DISABIL.REHABIL. , 2010, Vol. 32, n° 4, p. 344-51

N° doc. : 145623
MALONE FP ; VOGTLE LK
Pain and fatigue consistency in adults with cerebral palsy
DISABIL.REHABIL. , 2010, Vol. 32, n° 5, p. 385-391

N° doc. : 145624
COKER P ; KARAKOSTAS T ; DODDS KL ; HSIANG S
Gait characteristics of children with hemiplegic cerebral palsy before and after modified constraint-induced movement therapy
DISABIL.REHABIL. , 2010, Vol. 32, n° 5, p. 402-408

N° doc. : 145625
KLINGELS K ; DE COCK P ; MOLENAERS G
Upper limb motor and sensory impairments in children with hemiplegic cerebral palsy. Can they be measured reliably ?
DISABIL.REHABIL. , 2010, Vol. 32, n° 5, p. 409-416

N° doc. : 145631
AKERSTEDT A ; RISTO O ; ODMAN P ; OBERG B
Evaluation of single event multilevel surgery and rehabilitation in children and youth with cerebral palsy. A 2-year follow-up study
DISABIL.REHABIL. , 2010, Vol. 32, n° 7, p. 530-539

N° doc. : 145638
YONETSU R ; SHIMIZU J ; SURYA J
The effect of physiotherapy on sit-to-stand movements in a child with spastic diplegia
DISABIL.REHABIL. , 2010, Vol. 32, n° 7, p. 598-605

N° doc. : 145647
BUMIN G ; KAVAK ST
An investigation of the factors affecting handwriting skill in children with hemiplegic cerebral palsy
DISABIL.REHABIL. , 2010, Vol. 32, n° 8, p. 692-703

N° doc. : 145648
TUZUN EH ; GUVEN DK ; EKER C
Pain prevalence and its impact on the quality of life in a sample of Turkish children with cerebral palsy
DISABIL.REHABIL. , 2010, Vol. 32, n° 9, p. 723-728

N° doc. : 145538
BOYNE P ; DUNNING K ; DIMONTE LEVINE P
Orthotic functional electrical stimulation following botulinum toxin for a young adult with severe hand impairment due to childhood stroke
PHYSIOTHER.THEORY PRACT. , 2010, Vol. 26, n° 4, 267-274

EXPLORATIONS FONCTIONNELLES

N° doc. : 144934
RAKOS M ; AUER M
Bewegungsrehabilitation mithilfe EMG-getriggerten Elektrostimulation (= Rehabilitation of motor functions using EMG triggered electrical stimulation : presentation of the STiwell med4 stimulator)
ORTHOP.TECHNIK , 2010, Vol. 61, n° 2, p. 94-97

N° doc. : 144935
KAUS J
Einfluss des EMG-getriggerten Mehrkanalstimulation in der Behandlung der oberen Extremität bei Schlaganfall-Patienten (= The influence of EMG triggered multichannel stimulation in the treatment of the upper extremity in stroke patients)
ORTHOP.TECHNIK , 2010, Vol. 61, n° 2, p. 98-102

N° doc. : 145466
FOURNIER E
Electromyographie
ENCYCL.MED.CHIR.AKOS , 2010, FASC. 5-0835, 4 p

RACHIS

N° doc. : 144947
PENNICK V ; SCHELKANOVA I ; FURLAN A
Informing your practice with reviews published by the Cochrane back review group : conservative interventions for neck and back pain
PHYSIOTHER.CANADA , 2010, Vol. 62, n° 1, p. 81-85

RACHIS CERVICAL

N° doc. : 144828
LARUELLE S ; DERAHC
Etude sur le dépistage et le protocole de rééducation du torticolis congénital du nourrisson après accouchement dystocique ciblé
KINESITHER.REV. , 2010, n° 99, p. 38-44

N° doc. : 144941
GUY V ; BRUNO M
Une nouvelle orthèse cervicale dans les problèmes de ' tête tombante ' chez les patients atteints de sclérose latérale amyotrophique : l'orthèse cervicale articulée niçoise
ERGOTHERAPIES , 2010, n° 37, p. 39-48

N° doc. : 145047
BELLAVANCE A
Les céphalées d'origine cervicale
REV.MED.MANUELLE OSTEOPATHIE , 2010, n° 30, p. 24-31

N° doc. : 145062
SWEENEY M ; DOODY C
Manual therapy for the cervical spine and reported adverse effects : a survey of Irish manipulative physiotherapists
MANUAL THER. , 2010, Vol. 15, n° 1, p. 32-36

N° doc. : 145064
CHIEN EP ; STERLING M
Sensory hypoesthesia is a feature of chronic whiplash but not chronic idiopathic neck pain
MANUAL THER. , 2010, Vol. 15, n° 1, p. 48-53

N° doc. : 145640
KANLAYANAPHOTPORN R ; CHIRADEJNANT A ;
Immediate effects of the central posteroanterior mobilization technique on pain and range of motion in patients with mechanical neck pain
DISABIL.REHABIL. , 2010, Vol. 32, n° 8, p. 622-628

RACHIS LOMBAIRE ET CHARNIERE LOMBO-SACREE

N° doc. : 144945
AGNELLO A ; BROWN T ; DESROCHES S ; WELLING U
Can we identify people at risk of non-recovery after acute occupational low back pain ? Results of a review and higher-order analysis
PHYSIOTHER.CANADA , 2010, Vol. 62, n° 1, p. 9-16

N° doc. : 145046
AIRAKSINEN O ; PATIJN J
Efficacité de la médecine manuelle dans la région lombaire
REV.MED.MANUELLE OSTEOPATHIE , 2010, n° 30, p. 9-12

N° doc. : 145048
LAMBERT Y
Lombalgie et muscle ilio-psoas
REV.MED.MANUELLE OSTEOPATHIE , 2010, n° 30, p. 32-34

N° doc. : 145065
LEE MOORE M ; JULL G
Capitalising on effective treatment strategies for low back pain - How do we bridge the self-management gap?
MANUAL THER. , 2010, Vol. 15, n° 2, p. 133-134

N° doc. : 145067
SOKUNBIO ; CROSS V ; WATT P ; LEE MOORE M
Experiences of individuals with chronic low back pain during and after their participation in a spinal stabilisation exercise programme - a pilot qualitative study
MANUAL THER. , 2010, Vol. 15, n° 2, p. 179-184

N° doc. : 145068
RYAN CG ; GRAY HG ; NEWTON M ; GRANAT MH
The relationship between psychological distress and free-living physical activity in individuals with chronic low back pain
MANUAL THER. , 2010, Vol. 15, n° 2, p. 185-189

N° doc. : 145537
GAGNE AR ; HASSON SM
Lumbar extension exercises in conjunction with mechanical traction for the management of a patient with a lumbar herniated disc
PHYSIOTHER.THEORY PRACT. , 2010, Vol. 26, n° 4, 256-266

N° doc. : 145604
DEMOULIN C ; VERBUNT JA ; WINKENS B
Usefulness of perceived level of exertion in patients with chronic low back pain attending a physical training programme
DISABIL.REHABIL. , 2010, Vol. 32, n° 3, p. 216-222

N° doc. : 145611
ELFVING B ; ASELL M ; LUNING BERGSTEN C
Exploring activity limitations and sick leave among patients with spinal pain participating in multidisciplinary rehabilitation
DISABIL.REHABIL. , 2010, Vol. 32, n° 4, p. 292-299

N° doc. : 145628
SINIKALLIO S ; AALTO T ; LEHTO SM ; AIRAKSINEN O
Depressive symptoms predict postoperative disability among patients with lumbar spinal stenosis : a two-year prospective study comparing two age groups
DISABIL.REHABIL. , 2010, Vol. 32, n° 6, p. 462-468

N° doc. : 145639
CARROLL A ; RICK J ; PILGRIM H ; CAMERON J
Workplace involvement improves return to work rates among employees with back pain on long-term sick leave: a systematic review of the effectiveness and cost-effectiveness of interventions
DISABIL.REHABIL. , 2010, Vol. 32, n° 8, p. 607-621

ORTHOPEDIE

TRAUMATOLOGIE

N° doc. : 145444
CHANUSSOT JC ; QUESNOT A
Synthèse des avancées et perspectives de la rééducation en traumatologie et orthopédie
KINESITHER.REV. , 2010, n° 100, p. 26-29

N° doc. : 145293
RAUTUREAU P
Les soins au patient polytraumatisé
REV.INFIRM. , 2010, n° 160, p. 17-30

N° doc. : 145032
TEOT L ; TRIAL C
Prise en charge des plaies - les nouveaux dispositifs médicaux SOINS, 2010, n° 744, p. 23-27

N° doc. : 145626
CIOFI SILVA CL ; DON ROSSI C ; DANTAS RS ; COSTA CS
The life impact of burns : the perspective from burn persons in Brazil during their rehabilitation phase
DISABIL.REHABIL. , 2010, Vol. 32, n° 6, p. 431-437

PATHOLOGIE OSTEOARTICULAIRE

N° doc. : 144909
SENNEVILLE E ; LEGOUT L ; LOIEZ C ; BELTRAND E
Infections ostéo-articulaires : aspects cliniques et modalités de prise en charge
HYGIENES , 2010, Vol. 18, n° 2, p. 115-119

N° doc. : 144942
HAMONET C
Une maladie génétique méconnue, responsable de très nombreuses situations de handicap : la maladie d' Ehlers-Danlos
ERGOTHERAPIES , 2010, n° 37, p. 49-52

N° doc. : 145066
NIJS EN KENNY DE MEIRLEIR J ; VAN HOUDENHOVE B
Recognition of central sensitization in patients with musculoskeletal pain : Application of pain neurophysiology in manual therapy practice
MANUAL THER. , 2010, Vol. 15, n° 2, p. 135-141

N° doc. : 145195
KJEKEN I ; EULLER ZIEGLER L ; SKROLSEVIK J ; BAGGE J
How to develop patient-centered research : some perspectives based on surveys among people with rheumatic diseases in Scandinavia
PHYS.THER. , 2010, Vol. 90, n° 3, p. 450-460

N° doc. : 145301
NIJS EN KENNY DE MEIRLEIR J ; VAN EUPEN I
Can pacing self-management alter physical behavior and symptom severity in chronic fatigue syndrome ? A case series
J.REHABIL.RES.DEV. , 2009, Vol. 46, n° 7, p. 985-996

N° doc. : 145543
SEIXEDO L ; SANTOS F
Effet de la kinésithérapie sur le soulagement de la douleur et l'augmentation de l'amplitude articulaire dans la polyarthrite rhumatoïde
KINESITHER.SCI. , 2010, n° 510, p. 19-22

N° doc. : 145545
SOBCZAK CYRULIK B
Causes biomécaniques des troubles musculo-squelettiques (TMS) : méthode ORA pour le diagnostic relatif de l'appareil locomoteur, prévention et thérapie
KINESITHER.SCI. , 2010, n° 510, p. 31-38

N° doc. : 145619
KALETH AS ; ANG DC ; CHAKR R ; TONG Y
Validity and reliability of community health activities model program for seniors and short-form international physical activity questionnaire as physical activity assessment tools in patients with fibromyalgia
DISABIL.REHABIL. , 2010, Vol. 32, n° 5, p. 353-359

N° doc. : 145636
WEKRE LL ; FROSIE KF ; HAUGEN JB ; FALCH JA
A population based study of demographical variables and ability to perform activities of daily living in adults with osteogenesis imperfecta
DISABIL.REHABIL. , 2010, Vol. 32, n° 7, p. 579-587

N° doc. : 145715
SJOQUIST ES ; ALMQVIST C ; ASENLOP P ; LAMPA J
Physical-activity coaching and health status in rheumatoid arthritis : a person-oriented approach
DISABIL.REHABIL. , 2010, Vol. 32, n° 10, p. 816-825

N° doc. : 145717
VRIEZEKOLK J ; EIJSBOUTS A ; EVERSMAA
Poor psychological health status among patients with inflammatory rheumatic diseases and osteoarthritis in multidisciplinary rehabilitation : Need for a routine psychological assessment
DISABIL.REHABIL. , 2010, Vol. 32, n° 10, p. 836-844

MEMBRE SUPERIEUR

N° doc. : 145501
TURNER STOKES L ; BAGULEY IJ ; DE GRAAFF S
Goal attainment scaling in the evaluation of treatment of upper limb spasticity with botulinum toxin : a secondary analysis from a double-blind placebo-controlled randomized clinical trial
J.REHABIL.MED. , 2010, Vol. 42, n° 1, p. 81-89

N° doc. : 145182
BENSMAIL D ; ROBERTSON JV ; FERMANIAN J
Botulinum toxin to treat upper-limb spasticity in hemiparetic patients: analysis of function and kinematics of reaching movements
NEUROREHABIL.NEURAL REPAIR , 2010, Vol. 24, n° 3, p. 273-281

N° doc. : 145306
BURDETTE TE ; DILLMAN LONG J ; HO O ; DEMAS C
Early delayed amputation : a paradigm shift in the limb-salvage time line for patients with major upper-limb injury
J.REHABIL.RES.DEV. , 2009, Vol. 46, n° 3, p. 385-394

EPAULE-COUCHE

N° doc. : 144933
GUIET P
L'épaule : kinésithérapie pré-scrive
KINE ACTUALITE , 2010, n° 1187, p. 18-21

N° doc. : 145394
ROUSSET M ; MOREEL P ; DESCAMPS S
La luxation sternoclaviculaire postérieure
J.TRAUMATOL.SPORT , 2010, Vol. 27, n° 1, p. 14-19

N° doc. : 145610
KOOG YH ; JIN SS ; YOON K ; MIN BI
Interventions for hemiplegic shoulder pain : systematic review of randomised controlled trials
DISABIL.REHABIL. , 2010, Vol. 32, n° 4, p. 282-291

N° doc. : 145634
KOYUNCU E ; NAKIPOGLU YUZER GF ; DOGAN S
The effectiveness of functional electrical stimulation for the treatment of shoulder subluxation and shoulder pain in hemiplegic patients : A randomized controlled trial
DISABIL.REHABIL. , 2010, Vol. 32, n° 7, p. 560-566

N° doc. : 144897
GUIET P
Kinésithérapie pré-scrive : le coude
KINE ACTUALITE , 2010, n° 1190, p. 18-21

N° doc. : 145045
HO PUN CHEUNG T ; LHERNOULD F ; BERNARD J
Intérêt des manipulations tendineuses dans les épicondylites latérales
REV.MED.MANUELLE OSTEOPATHIE , 2010, n° 30, p. 2-8

POIGNET-MAIN-DOIGTS

N° doc. : 145614
KINGSTON G ; TANNER B ; GRAY MA
The functional impact of a traumatic hand injury on people who live in rural and remote locations
DISABIL.REHABIL. , 2010, Vol. 32, n° 4, p. 326-335

N° doc. : 145031
GUIET P
Kinésithérapie pré-scrive : le poignet et la main
KINE ACTUALITE , 2010, n° 1191, p. 19-22

N° doc. : 145307
KAUFMAN CL ; BLAIR B ; MURPHY E ; BREIDENBACH WB
A new option for amputees : transplantation of the hand
J.REHABIL.RES.DEV. , 2009, Vol. 46, n° 3, p. 395-404

N° doc. : 145448
BOUTAN M ; MESPLIE G
25 ans d'évolution en rééducation de la main
KINESITHER.REV. , 2010, n° 100, p. 53-56

N° doc. : 145458
TERRADE P ; OVIEVE JM ; CHAPIN BOUSCARAT B
Rééducation des lésions ostéoligamentaires des chaînes digitales
ENCYCL.MED.CHR.KINESITHER. , 2010, FASC. 26220 D10, p. 1-17

N° doc. : 145540
MOUTET F ; FORLI A ; CORCELLA D
La prise en charge des entorses de la métacarpo-phalangienne du pouce
KINESITHER.SCI. , 2010, n° 510, p. 11-18

MEMBRE INFÉRIEUR

HANCHE

N° doc. : 145322
YOUDAS JW ; MADSON TJ ; HOLLMAN JH
Usefulness of the Trendelenburg test for identification of patients with hip joint osteoarthritis
PHYSIOTHER.THEORY PRACT. , 2010, Vol. 26, n° 3, 184-194

N° doc. : 145329
HUSBY VS ; HELGERUD J ; BJORGEN S ; HUSBY OS
Early postoperative maximal strength training improves work efficiency 6-12 months after osteoarthritis-induced total hip arthroplasty in patients younger than 60 years
AM.J.PHYS.MED.REHABIL. , 2010, Vol. 89, n° 4, p. 304-314

N° doc. : 145395
GILARDEAU C ; DAUBINET G
Pathologie non inflammatoire et non infectieuse de la sacro-iliaque
J.TRAUMATOL.SPORT , 2010, Vol. 27, n° 1, p. 31-34

N° doc. : 145499
HURKMANS HL ; BUSSMANN JB ; BENDA E ; HAISMA JA
Predictors of partial weight-bearing performance after total hip arthroplasty
J.REHABIL.MED. , 2010, Vol. 42, n° 1, p. 42-48

N° doc. : 145629
TAYLOR NF ; HARDING KE ; DOWLING J ; HARRISON G
Discharge planning for patients receiving rehabilitation after hip fracture : a qualitative analysis of physiotherapists' perceptions
DISABIL.REHABIL. , 2010, Vol. 32, n° 6, p. 492-499

CHEVILLE -PIED

N° doc. : 145063
EMERSON ; MORRISSEY SJ ; PERRY M ; JALAN R
Ultrasoundographically detected changes in Achilles tendons and self reported symptoms in elite gymnasts compared with controls
MANUAL THER. , 2010, Vol. 15, n° 1, p. 37-42

N° doc. : 145544
BENHMIDA S ; KEYSER B ; TAIAR R
Effets d'une technique de contention adhésive sur le comportement articulaire de la cheville
KINESITHER.SCI. , 2010, n° 510, p. 23-29

N° doc. : 144936
KLINGSPOR B
**Das diabetische Fusssyndrom
(= The diabetic foot syndrome)**
ORTHOPE.TECHNIK , 2010, Vol. 61, n° 2, p. 118-126

N° doc. : 145656
DEVILLERS J
Une journée dédiée au traitement du pied bot varus équin
KINE ACTUALITE , 2010, n° 1195, p. 22-25

EQUILIBRE-MARCHE

N° doc. : 145449
MESURE S
La posture : l'équilibre de nos activités
KINESITHER.REV. , 2010, n° 100, p. 57-59

N° doc. : 145464
BOHNEN AM ; MULLER ML ; KUWABARA H ; CHAM R
Age-associated striatal dopaminergic denervation and falls in community-dwelling subjects
J.REHABIL.RES.DEV. , 2009, Vol. 46, n° 8, p. 1045-1052

N° doc. : 145649
HARTMANN B ; MURER K ; DE BIE RA ; ELING DDE B
The effect of a training program combined with augmented afferent feedback from the feet using shoe insoles on gait performance and muscle power in older adults
DISABIL.REHABIL. , 2010, Vol. 32, n° 9, p. 755-764

N° doc. : 144825
MARTIN E
Plasticité cérébrale et équilibration : proposition de protocole en masso-kinésithérapie pour la prévention des chutes de la personne âgée
KINESITHER.REV. , 2010, n° 99, p. 24-29

N° doc. : 145308
JOHNSON WB ; FATONE S ; GARD C
Walking mechanics of persons who use reciprocating gait orthoses
J.REHABIL.RES.DEV. , 2009, Vol. 46, n° 3, p. 435-446

AMPUTATION APPAREILLAGE

N° doc. : 145303
GEIL MD
Assessing the state of clinically applicable research for evidence-based practice in prosthetics and orthotics
J.REHABIL.RES.DEV. , 2009, Vol. 46, n° 3, p. 305-313

AMPUTATION DU MEMBRE INFÉRIEUR

N° doc. : 145583
VAN STUIVENBERG VRIELINK C ; DE LAAT F ; MEIJER R
Inter- and intra-observer reproducibility and validity of an indirect volume measurement in transtibial amputees
PROSTH.ORTHOT.INT. , 2010, Vol. 34, n° 1, p. 20-30

N° doc. : 145328
JOHANNESSON A ; LARSSON GU ; RAMSTRAND N
Outcomes of a standardized surgical and rehabilitation program in transtibial amputation for peripheral vascular disease : a prospective cohort study
AM.J.PHYS.MED.REHABIL. , 2010, Vol. 89, n° 4, p. 293-303

N° doc. : 145299
BEHR J ; FRIEDLY J ; MOLTON I ; MORGENROTH DC
Pain and pain-related interference in adults with lower-limb amputation : comparison of knee-disarticulation, transtibial, and transfemoral surgical sites
J.REHABIL.RES.DEV. , 2009, Vol. 46, n° 7, p. 963-972

N° doc. : 145302
KLUTE GK ; KANTOR C ; DARROUZET V ; WILD H
Lower-limb amputee needs assessment using multistakeholder focus-group approach
J.REHABIL.RES.DEV. , 2009, Vol. 46, n° 3, p. 293-304

N° doc. : 145304
HAGBERG K ; BRANEMARK R
One hundred patients treated with osseointegrated transfemoral amputation prostheses--rehabilitation perspective
J.REHABIL.RES.DEV. , 2009, Vol. 46, n° 3, p. 331-344

N° doc. : 145305
SEGAL AD ; ORENDRUFF MS ; CZERNIECKI JM
Transtibial amputee joint rotation moments during straight-line walking and a common turning task with and without a torsion adapter
J.REHABIL.RES.DEV. , 2009, Vol. 46, n° 3, p. 375-383

N° doc. : 145512
ATKINSON GJ ; LEE MY ; MEHTA MK
Heterotopic ossification in the residual lower limb in an adult nontraumatic amputee patient
AM.J.PHYS.MED.REHABIL. , 2010, Vol. 89, n° 3, p. 245-248

N° doc. : 145584
GOKTEPE AS ; CAKIR B ; YILMAZ B ; YAZICIOGLU K
Energy expenditure of walking with prostheses : comparison of three amputation levels
PROSTH.ORTHOT.INT. , 2010, Vol. 34, n° 1, p. 31-36

N° doc. : 145585
HSU LH ; HUANG GF ; LU CT ; HONG DY ; LIU SH
The development of a rapid prototyping prosthetic socket coated with a resin layer for transtibial amputees
PROSTH.ORTHOT.INT. , 2010, Vol. 34, n° 1, p. 37-45

N° doc. : 145587
RAYA MA ; GAILEY RS ; FIEBERT IM ; ROACH KE
Impairment variables predicting activity limitation in individuals with lower limb amputation
PROSTH.ORTHOT.INT. , 2010, Vol. 34, n° 1, p. 73-84

APPAREILLAGE

N° doc. : 144921
LANDAUER F ; DITTMER K
Sonderausstellung zur Geschichte der Orthopädie-Technik (= Special exhibition on the history of orthopaedic technology)
ORTHOP.TECHNIK , 2010, Vol. 61, n° 4, p. 238-244

PROTHESE

N° doc. : 145300
GUSTAFSON KJ ; PINAULT GC ; NEVILLE JJ ; SYED I
Fascicular anatomy of human femoral nerve: implications for neural prostheses using nerve cuff electrodes
J.REHABIL.RES.DEV. , 2009, Vol. 46, n° 7, p. 973-984

N° doc. : 145310
EGGER H
Die gedankengesteuerte Armprothese und die fühlende Handprothese (= The brain controlled arm prosthesis and the sensing hand prosthesis operating like the healthy arm - sensing as the own hand)
ORTHOP.TECHNIK , 2010, Vol. 61, n° 3, p. 156-161

N° doc. : 145311
ROTSCH C ; BUCHT A ; JUNG J ; PAGEL K ; BOHM A
Entwicklung eines Antriebs- und Steuerungskonzeptes für eine Handprothese auf der Basis von aktiven Werkstoffen (= Development of a drive and control concept for a hand prosthesis based on active materials - an approach to complement existing drive systems of externally powered prostheses)
ORTHOP.TECHNIK , 2010, Vol. 61, n° 3, p. 170-174

N° doc. : 145462
RAMIREZ IA ; LUSK CP ; DUBEY R ; HIGHSMITH MJ
Crossed four-bar mechanism for improved prosthetic grasp
J.REHABIL.RES.DEV. , 2009, Vol. 46, n° 8, p. 1011-1020

ORTHESE

N° doc. : 145586
IBUKI A ; BACH T ; ROGERS B ; BERNHARDT J
The effect of tone-reducing orthotic devices on soleus muscle reflex excitability while standing in patients with spasticity following stroke
PROSTH.ORTHOT.INT. , 2010, Vol. 34, n° 1, p. 46-57

N° doc. : 145446
NOE N ; BILLUART F
Place des orthèses dans les suites opératoires d'une chirurgie réparatrice du ligament croisé antérieur
KINESITHER.REV. , 2010, n° 100, p. 35-37

N° doc. : 145582
POSTANS N ; WRIGHT P ; BROMWICH W ; WILKINSON I
The combined effect of Dynamic splinting and Neuromuscular electrical stimulation in reducing wrist and elbow contractures in six children with Cerebral palsy
PROSTH.ORTHOT.INT. , 2010, Vol. 34, n° 1, p. 10-19

APPAREIL CARDIO VASCULAIRE

N° doc. : 145594
EKBLOM BAK E ; HELLENIUS ML ; EKBLOM O
Independent associations of physical activity and cardiovascular fitness with cardiovascular risk in adults
EUR.J.CARDIOVASC.PREV.REHABIL. , 2010, Vol. 17, n° 2, p. 175-180

N° doc. : 145595
VIDOTTO G ; MORONI L ; BURRO R ; FILIPPONI L
A revised short version of the depression questionnaire
EUR.J.CARDIOVASC.PREV.REHABIL. , 2010, Vol. 17, n° 2, p. 187-197

N° doc. : 145596
PRAKKEN NH ; VELTHUIS B ; TESKE AJ ; MOSTERD A
Cardiac MRI reference values for athletes and nonathletes corrected for body surface area, training hours/week and sex
EUR.J.CARDIOVASC.PREV.REHABIL. , 2010, Vol. 17, n° 2, p. 198-203

PATHOLOGIE CARDIAQUE

N° doc. : 145061
ENGELFRIET P ; HOEKSTRA J ; HOOGENVEEN R
Food and vessels : the importance of a healthy diet to prevent cardiovascular disease
EUR.J.CARDIOVASC.PREV.REHABIL. , 2010, Vol. 17, n° 1, 50-55

N° doc. : 145265
KETEYIAN SJ ; PINA IL ; HIBNER BA ; FLEG JL
Clinical role of exercise training in the management of patients with chronic heart failure
J.CARDIOPULMONARY REHABIL.PREV. , 2010, Vol. 30, n° 2, p. 67-76

N° doc. : 145593
GUIDON M ; MCGEE H
Exercise based interventions and health-related quality of life in intermittent claudication
EUR.J.CARDIOVASC.PREV.REHABIL. , 2010, Vol. 17, n° 2, p. 140-154

REEDUCATION CARDIAQUE

N° doc. : 145059
PIEPOLI MF ; CORRA U ; BENZER W
Secondary prevention through cardiac rehabilitation : from knowledge to implementation. A position paper from the Cardiac Rehabilitation Section of the European Association of Cardiovascular Prevention and Rehabilitation
EUR.J.CARDIOVASC.PREV.REHABIL. , 2010, Vol. 17, n° 1, p. 1-17

N° doc. : 145060
MARZOLINI S ; MERTENS DJ ; OH PI ; PLYLEY MJ
Self-reported compliance to home-based resistance training in cardiac patients
EUR.J.CARDIOVASC.PREV.REHABIL. , 2010, Vol. 17, n° 1, p. 35-41

N° doc. : 145266
ARAYA RAMIREZ F ; BRIGGS KK ; BISHOP SR ; MILLER C
Who is likely to benefit from phase II cardiac rehabilitation ?
J.CARDIOPULMONARY REHABIL.PREV. 2010, Vol. 30, n° 2, p. 93-100

N° doc. : 145456
LAMOTTE M
Entraînement physique en réadaptation cardiaque
ENCYCL.MED.CHIR.KINESITHER. , 2010, FASC. 26509 A10, p. 1-10

N° doc. : 145592
WARREN JM ; EKELUND U ; BESSON H ; MEZZANI A
Assessment of physical activity - a review of methodologies with reference to epidemiological research - a report of the exercise physiology section of the european association of cardiovascular prevention and rehabilitation
EUR.J.CARDIOVASC.PREV.REHABIL. , 2010, Vol. 17, n° 2, p. 127-139

PATHOLOGIE METABOLIQUE

N° doc. : 145058

Diabète, éducation et qualité de vie
SOINS , 2010, SUPPL. 744, S4-S30

N° doc. : 145289

WHITENECK G ; DIJKERS MP
Difficult to measure constructs : conceptual and methodological issues concerning participation and environmental factors
ARCH.PHYS.MED.REHABIL. , 2009, Vol. 90, SUPPL.1, S22-S35

POUMON

N° doc. : 145037

ROSON J ; TOURNIER F
Introduction à la neurally adjusted ventilatory assist (NAVA)
KINESITHER.SCI. , 2010, n° 509, p. 51-53

N° doc. : 145290

BROWN M
Perspectives on outcome : what disability insiders and outsiders each bring to the assessment table
ARCH.PHYS.MED.REHABIL. , 2009, Vol. 90, SUPPL.1, S36-S40

N° doc. : 144827

HOUSSIERE A ; PIGGIO O ; COSSALTER B ; PISON C
L'index BODE : révélateur de l'intérêt de l'évaluation de la dysfonction musculaire chez le BPCO
KINESITHER.REV. , 2010, n° 99, p. 33-37

N° doc. : 145325

GRANGER CV ; MARKELLO SJ ; GRAHAM JE ; DEUTSCH A
The uniform data system for medical rehabilitation : report of patients with traumatic brain injury discharged from rehabilitation programs in 2000-2007
AM.J.PHYS.MED.REHABIL. , 2010, Vol. 89, n° 4, p. 265-278

N° doc. : 145267

SUNDARAJAN L ; BALAMI J ; PACKHAM S
Effectiveness of outpatient pulmonary rehabilitation in elderly patients with chronic obstructive pulmonary disease
J.CARDIOPULMONARY REHABIL.PREV..2010, Vol. 30 n° 2,p. 121-125

N° doc. : 145511

MUSICK DW ; BOCKENEK WL ; MASSAGLI TL
Reliability of the physical medicine and rehabilitation resident observation and competency assessment tool : a multi-institution study
AM.J.PHYS.MED.REHABIL. , 2010, Vol. 89, n° 3, p. 235-244

N° doc. : 145319

WEST K ; WALLEN M ; FOLLETT J
Acapella vs. PEP mask therapy : a randomised trial in children with cystic fibrosis during respiratory exacerbation
PHYSIOTHER.THEORY PRACT. , 2010, Vol. 26, n° 3, 143-149

QUALITE DE VIE

N° doc. : 144920

DEVILLERS J
Mesure de la qualité de vie : une donnée incontournable
KINE ACTUALITE , 2010, n° 1189, p. 18-21

HANDICAP

N° doc. : 145089

PIREYRE EW
L'image du corps : monolithique ou composite ?
EVOL.PSYCHOM. , 2010, n° 82, p. 198-211

N° doc. : 145502

CHABLOZ P ; BERARD C ; D'ANJOU MC ; PONCET B
R4P - Un réseau régional de professionnels dédié à l'enfant en situation de handicap
MOTRICITE CEREBR. , 2010, Vol. 31, n° 1, p. 14-20

N° doc. : 145513

RIMMER JH ; CHEN MD ; MCCUBBIN JA ; DRUM C
Exercise intervention research on persons with disabilities: what we know and where we need to go
AM.J.PHYS.MED.REHABIL. , 2010, Vol. 89, n° 3, p. 249-263

TRAVAIL ET HANDICAP

N° doc. : 145262

Apprentissage adapté et orientation
READAPTATION , 2010, n° 567, p. 7-42

SPORT

N° doc. : 144931

ROUANET O
Enquête sur les activités physiques adaptées aux adultes cérébro-lésés
RESURGENCES , 2009, n° 40, p. 23-25

N° doc. : 145263

HOT P
L'activité sportive : par où 're' commencer ?
KINE ACTUALITE , 2010, n° 1192, p. 18-21

SANTE ET READAPTATION

N° doc. : 144910

ABEILLE D
Vers une reconnaissance de l'acte d'éducation thérapeutique ?
SOINS , 2010, n° 743, p. 17-20

ORGANISATION DE LA READAPTATION

N° doc. : 145285

GORDON WA
Clinical trials in rehabilitation research : balancing rigor and relevance
ARCH.PHYS.MED.REHABIL. , 2009, Vol. 90, SUPPL.1, S1-S2

N° doc. : 145286

WHYTE J ; GORDON W ; GONZALEZ ROTH LJ
A phased developmental approach to neurorehabilitation research : the science of knowledge building
ARCH.PHYS.MED.REHABIL. , 2009, Vol. 90, SUPPL.1, S3-S10

N° doc. : 145287

BAGIELLA E
Clinical trials in rehabilitation : single or multiple outcomes ?
ARCH.PHYS.MED.REHABIL. , 2009, Vol. 90, SUPPL.1, S17-S21

N° doc. : 145288

KROLL T ; MORRIS J
Challenges and opportunities in using mixed method designs in rehabilitation research
ARCH.PHYS.MED.REHABIL. , 2009, Vol. 90, SUPPL.1, S11-S16

N° doc. : 145313
LEPERS R ; GREGOIRE N ; BABAULT N
Effets du port de collants de compression sur les performances musculaires après un exercice de type circuit training
SCI.SPORTS , 2010, Vol. 25, n° 2, p. 96-98

KINESITHERAPIE

N° doc. : 144824
SAGI G
Recherche d'une préférence directionnelle avec la méthode McKenzie dans l'évaluation de patients rachialgiques
KINESITHER.REV. , 2010, n° 99, p. 17-23

N° doc. : 145010
CAVELLEC M ; GIRET M ; CAHAGNE V
Masseur-kinésithérapeute en soins palliatifs
KINESITHER.SCI. , 2010, n° 509, p. 5-11

N° doc. : 145014
PERON MAGNAN T
Kinésithérapie en ville des patients parkinsoniens évolués
KINESITHER.SCI. , 2010, n° 509, p. 31-37

N° doc. : 145015
LAURENT F
Corrélation entre capacités segmentaires, posturales et capacités de marche en rééducation neurologique centrale
KINESITHER.SCI. , 2010, n° 509, p. 39-48

N° doc. : 145090
CHAMPETIER DE RIBES J
Un toucher thérapeutique en psychosomatique : le shiatsu
EVOL.PSYCHOM. , 2010, n° 82, p. 212-216

N° doc. : 145185
NORMAN E ; SHERBURN M ; OSBORNE RH ; GALEA MP
An exercise and education program improves well-being of new mothers : a randomized controlled trial
PHYS.THER. , 2010, Vol. 90, n° 3, p. 348-355

N° doc. : 145192
FLEMING McDONNELL D ; CZUPPON S ; DEUSINGER SS
Physical therapy in the emergency department : development of a novel practice venue
PHYS.THER. , 2010, Vol. 90, n° 3, p. 420-426

N° doc. : 145331
DEVILLERS J
Tour d'horizon de la rééducation oro-faciale
KINE ACTUALITE , 2010, n° 1194, p. 18-21

N° doc. : 145388
WEISS PL ; SVEISTRUP H ; RAND D ; KIZONY R
Video capture virtual reality : a decade of rehabilitation assessment and intervention
PHYS.THER.REV. , 2009, Vol. 14, n° 5, p. 307-321

N° doc. : 145450
BOUCHOT MARCHAL B
Qu'est ce qui a changé dans la prise en charge de l'IMC ?
KINESITHER.REV. , 2010, n° 100, p. 60-61

N° doc. : 145451
PELTIER M ; BOUCHOT MARCHAL B
Neuroplasticité et rééducation de l'hémiplégique
KINESITHER.REV. , 2010, n° 100, p. 62-64

N° doc. : 145453
GOUILLY P
Kinésithérapie respiratoire d'hier et de demain
KINESITHER.REV. , 2010, n° 100, p. 68-69

N° doc. : 145455
TROOSTERS T
Kinésithérapie respiratoire : le point de vue du président du groupe de physiothérapie de l' European Respiratory Society
KINESITHER.REV. , 2010, n° 100, p. 73-75

N° doc. : 145460
LISI AJ ; GOERTZ MN ; LAWRENCE DJ
Characteristics of Veterans Health Administration chiropractors and chiropractic clinics
J.REHABIL.RES.DEV. , 2009, Vol. 46, n° 8, p. 997-1002

N° doc. : 145710
LIDOREAU M
La biokinergie ou comment élargir votre champ d'action
KINE ACTUALITE , 2010, n° 1197, p. 46-49

KINESITHERAPIE RENFORCEMENT MUSCULAIRE

N° doc. : 145186
FARR JN ; GOING SB ; MCKNIGHT PE ; KASLE S
Progressive resistance training improves overall physical activity levels in patients with early osteoarthritis of the knee : a randomized controlled trial
PHYS.THER. , 2010, Vol. 90, n° 3, p. 356-366

N° doc. : 145187
FOWLER EG ; KNUTSON LM ; DEMUTH SK ; SIEBERT KL
Pediatric endurance and limb strengthening (PEDALS) for children with cerebral palsy using stationary cycling: a randomized controlled trial
PHYS.THER. , 2010, Vol. 90, n° 3, p. 367-381

N° doc. : 145188
LOOPER J ; ULRICH DA
Effect of treadmill training and supramalleolar orthosis use on motor skill development in infants with Down syndrome: a randomized clinical trial
PHYS.THER. , 2010, Vol. 90, n° 3, p. 382-390

N° doc. : 145193
TAWASHY AE ; ENG JJ ; KRASSIOUKOV AV ; MILLER WC
Aerobic exercise during early rehabilitation for cervical spinal cord injury
PHYS.THER. , 2010, Vol. 90, n° 3, p. 427-437

N° doc. : 145194
WEPPLER CH ; MAGNUSSON SP
Increasing muscle extensibility : a matter of increasing length or modifying sensation ?
PHYS.THER. , 2010, Vol. 90, n° 3, p. 438-449

N° doc. : 145189
LINDSAY RW ; ROBINSON M ; HADLOCK TA
Comprehensive facial rehabilitation improves function in people with facial paralysis : a 5-year experience at the Massachusetts Eye and Ear Infirmary
PHYS.THER. , 2010, Vol. 90, n° 3, p. 391-397

N° doc. : 145457
BERTINCHAMP U
Concept PNF : facilitation proprioceptive neuromusculaire (concept Kabat-Knott-Voss)
ENCYCL.MED.CHIR.KINESITHER. , 2010, FASC. 26075 B10, p. 1-9

N° doc. : 145538
BOYNE P ; DUNNING K ; DIMONTE LEVINE P
Orthotic functional electrical stimulation following botulinum toxin for a young adult with severe hand impairment due to childhood stroke
PHYSIOTHER.THEORY PRACT. , 2010, Vol. 26, n° 4, 267-274

PHYSIOTHERAPIE

N° doc. : 144932

MARTIN B

Place de l'électrothérapie dans la rééducation des tendinopathies de la coiffe des rotateurs

KINE ACTUALITE , 2010, n° 1187, p. 22-23

N° doc. : 145312

EL HAGE R ; JACOB C ; MOUSSA E ; JAFFRE C

Ultrasophraphie quantitative osseuse des phalanges chez des volleyeurs professionnels

SCI.SPORTS , 2010, Vol. 25, n° 2, p. 92-95

N° doc. : 145297

FERGUSON PELL M ; HIROSE H ; NICHOLSON G ; CALL E
Thermodynamic rigid cushion loading indenter: a buttock-shaped temperature and humidity measurement system for cushioning surfaces under anatomical compression conditions

J.REHABIL.RES.DEV. , 2009, Vol. 46, n° 7, p. 945-956

N° doc. : 145510

GIACOBBI PR JR ; ATTAR-LEVY D ; DIETRICH FD

Wheelchair users' perceptions of and experiences with power assist wheels

AM.J.PHYS.MED.REHABIL. , 2010, Vol. 89, n° 3, p. 225-234

ERGOTHERAPIE

N° doc. : 144940

LOUBIERE B ; GUY V ; PERRIER A

Organisation et spécificités de la prise en charge de l'ergothérapeute dans la sclérose latérale amyotrophique

ERGOTHERAPIES , 2010, n° 37, p. 21-37

N° doc. : 144823

CAHILL M ; CONNOLLY D ; STAPLETON T

Exploring occupational adaptation through the lives of women with multiple sclerosis

BR.J.OCCUP.THER. , 2010, Vol. 73, n° 3, p. 106-115

N° doc. : 145314

SCHOESSOW K

Shifting from compensation to participation : a model for occupational therapy in low vision

BR.J.OCCUP.THER. , 2010, Vol. 73, n° 4, p. 160-169

N° doc. : 145581

KORNER BITENSKY N ; MENON DK ; VON ZWECK C

Occupational therapists' capacity-building needs related to older driver screening, assessment, and intervention : a Canadawide survey

AM.J.OCCUP.THER. , 2010, Vol. 64, n° 2, p. 316-324

ORTHOPHONIE

N° doc. : 145494

WEBER V

Cuisine et dépendance ... ou le travail d'une logopède dans un service Cantous

REEDUC.ORTHOPHON. , 2009, n° 240, p. 73-81

N° doc. : 145493

PAZ FONSECA R ; GINDRI G ; SCHERER LC ; BRANDAO L
Aphasic progressive primaire : intervention neuropsychologique ciblée sur le langage au Brésil

REEDUC.ORTHOPHON. , 2009, n° 240, p. 43-72

AIDES TECHNIQUES

N° doc. : 144922

KOHLER M ; WESTEN S

Unterstützte Kommunikation bei Kindern

(= Augmentative and alternative communication in children)

ORTHOP.TECHNIK , 2010, Vol. 61, n° 4, p. 262-268

N° doc. : 145298

KENDELL C ; LEMAIRE ED

Effect of mobility devices on orientation sensors that contain magnetometers

J.REHABIL.RES.DEV. , 2009, Vol. 46, n° 7, p. 957-962

GERONTOLOGIE

N° doc. : 145723

MELIS RJ ; VAN EIJKEN MI ; BOON ME

Process evaluation of a trial evaluating a multidisciplinary nurse-led home visiting programme for vulnerable older people

DISABIL.REHABIL. , 2010, Vol. 32, n° 11, p. 937-946

N° doc. : 145719

RENAUD J ; LEVASSEUR M ; GRESSET J ; OVERBURY O
Health-related and subjective quality of life of older adults with visual impairment

DISABIL.REHABIL. , 2010, Vol. 32, n° 11, p. 899-907

N° doc. : 145041

KOSKAS P ; SAAD S ; BELQADI S ; DRUNAT O

Analyse clinique au cours d'une marche simple et avec une double tâche chez une population de sujets âgés ambulatoires consultant en gériatrie

REV.NEUROL. (Paris) , 2010, Vol. 166, n° 3, p. 321-327

N° doc. : 145184

MUIR SW ; BERG K ; CHESWORTH B ; KLAR N

Balance impairment as a risk factor for falls in community-dwelling older adults who are high functioning : a prospective study

PHYS.THER. , 2010, Vol. 90, n° 3, p. 338-347

N° doc. : 145264

DEVILLERS J

Concept de fragilité en gériatrie : les graines d'un vieillissement en bonne santé

KINE ACTUALITE , 2010, n° 1193, p. 18-21

N° doc. : 145321

DUBE F ; ROUSSEAU J ; NADEAU S ; KAEGI C

Factorial validation of a walking safety scale (GEM scale) for the geriatric population

PHYSIOTHER.THEORY PRACT. , 2010, Vol. 26, n° 3, p. 173-183

N° doc. : 145327

DICKSTEIN R ; YOELI Y ; HOLTZMAN S ; FAUST D

Weight bearing on the affected lower limb in residents of a geriatric rehabilitation hospital

AM.J.PHYS.MED.REHABIL. , 2010, Vol. 89, n° 4, p. 287-292

N° doc. : 145452

MOUREY F

Rééducation gériatrique

KINESITHER.REV. , 2010, n° 100, p. 65-67

N° doc. : 145465

EMMERSON LC ; GRANHOLM E ; LINK PC ; MCQUAID JR

Insight and treatment outcome with cognitive-behavioral social skills training for older people with schizophrenia

J.REHABIL.RES.DEV. , 2009, Vol. 46, n° 8, p. 1053-1058

N° doc. : 145608

MATJACIC Z ; BOHINC K ; CIKAJLO I

Development of an objective balance assessment method for purposes of telemonitoring and telerehabilitation in elderly population

DISABIL.REHABIL. , 2010, Vol. 32, n° 3, p. 259-266

N° doc. : 145621

BELOOSESKY Y ; WEISS ; MANASIAN M ; SALAI M

Handgrip strength of the elderly after hip fracture repair correlates with functional outcome

DISABIL.REHABIL. , 2010, Vol. 32, n° 5, p. 367-373

N° doc. : 145642

WHITE DK ; JETTE AM ; FELSON DT ; LAVALLEY MP

Are features of the neighborhood environment associated with disability in older adults ?

DISABIL.REHABIL. , 2010, Vol. 32, n° 8, p. 639-645

N° doc. : 145650

BOOTH JM ; LAWRENCE M ; O'NEILL K ; GROSS

Exploring older peoples' experiences of nocturia: a poorly recognised urinary condition that limits participation

DISABIL.REHABIL. , 2010, Vol. 32, n° 9, p. 765-774

N° doc. : 145716

KONDO A ; ZIERLER BK ; ISOKAWA Y ; HAGINO H

Comparison of lengths of hospital stay after surgery and mortality in elderly hip fracture patients between Japan and the United States - the relationship between the lengths of hospital stay after surgery and mortality

DISABIL.REHABIL. , 2010, Vol. 32, n° 10, p. 826-835